



TECHNICAL DATA SHEET

AIMOL ATF DEXRON® II

Multipurpose fluid for heavy duty equipment transmission and hydraulic systems

DESCRIPTION

AIMOL ATF Dexron® II is an automatic transmission fluid for general use as prescribed by GM (former Dexron® II) and in automatic gearboxes of Caterpillar, MB, Ford, Voith and other heavy duty industrial and marine transmissions.

BENEFITS

- ◆ Outstanding lubrication properties
- ◆ Outstanding resistance to corrosion and high resistance to the formation of foam
- ◆ Very low solidifying point resulting in very good low temperature properties
- ◆ Fully compatible with seal agents used by manufacturers.

PERFORMANCE LEVELS

AIMOL ATF Dexron® II meets and exceeds the following performance levels/specifications:

- | | |
|---------------------------|-----------------------------------|
| ◆ GM (former Dexron® II) | ◆ Vickers D 2882 / 35 VQ 25 |
| ◆ Allison C-4 | ◆ Denison HF-0 |
| ◆ Renk | ◆ Ford M2C 166-H / 138 CJ / 33F-G |
| ◆ MB 236.1/5/7/9 | ◆ MAN 339D/339 V1/ZI |
| ◆ ZF TE ML 09/11/14 | ◆ Caterpillar TO-2 |
| ◆ Voith G 607/H55.6335.34 | |

AVAILABLE SIZES

New drum 205 Litre	Art.#8717662390807
Can 20 Litre	Art.#8717662390791
Can 1 Litre (12 cans per carton)	Art.#8717662390784

TYPICAL FIGURES

Parameter	Test method	ATF Dexron II
Density at 15°C kg/m ³	ASTM D1298	872
Flashpoint C.O.C. in °C	ASTM D92	209
Viscosity at -25°C in mm ² /s	ASTM D4052	2115.6
Viscosity at -10°C in mm ² /s	ASTM D4052	573.7
Viscosity at 0°C in mm ² /s	ASTM D4052	281.6
Viscosity at 40°C in mm ² /s	ASTM D445	38
Viscosity at 100°C in mm ² /s	ASTM D445	7.5
Viscosity Index	ASTM D2270	169
Pour point in °C	ASTM D97	-42
Colour	-	red

HEALTH AND SAFETY

AIMOL ATF Dexron® II has no adverse health effects provided it is used as directed.

TECHNICAL DATA INFO LINE

Should you require additional information or advice on AIMOL products, please contact us as per the details below

Typical figures as indicated may vary per production cycle and can change at manufacturers' option. Specifications, however, are guaranteed. Because of continuous product research and development, the information within this data sheet is subject to change without any notification. Although every effort is made to ensure accurate information, A.I.M. bv accepts no liability for any loss or damage suffered caused by the incorrectness and/or incompleteness of this text, and as a result of using this product for any application other than explicitly stated in this data sheet.